

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Date of issue: 07/28/2014 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture

: CIP Neutralizer™ - Alkaline Based Neutralizer Trade name

Product code : 1D07

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Alkaline based Neutralizer

Use of the substance/mixture : For industrial and institutional use only. Not for home use.

Details of the supplier of the safety data sheet

STERIS Corporation

P. O. Box 147, St. Louis, MO 63166, US

Telephone Number for Information: 1-800-444-9009 (Customer Service-Scientific Products) US Emergency Telephone No.1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)

Emergency telephone number

: US Emergency Telephone No.1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC) **Emergency number**

SECTION 2: Hazards identification

Classification of the substance or mixture

GHS-US classification

Skin Corr. 1A H314 Eye Dam. 1 H318

Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



Signal word (GHS-US) Danger

Hazard statements (GHS-US) H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

Precautionary statements (GHS-US) P260 - Do not breathe mist, spray, vapors, dust

P264 - Wash hands thoroughly after handling

P280 - Wear protective gloves, protective clothing, eye protection, face protection P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P363 - Wash contaminated clothing before reuse.

Other hazards

No additional information available.

Unknown acute toxicity (GHS-US)

No data available.

SECTION 3: Composition/information on ingredients

3.1. **Substance**

Not applicable.

Full text of H-phrases: see Section 16.

07/28/2014 EN (English) SDS ID: 1D07US Page 1

Alkaline Based Neutralizer

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Sodium hydroxide	(CAS No) 1310-73-2	10 - 30	Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Eye Dam. 1, H318
Potassium hydroxide	(CAS No) 1310-58-3	5 - 10	Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Remove the paitent to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Get medical attention.

First-aid measures after skin contact

: Immediately flush skin with plenty of water for at least 15 minutes. Remove/Take off immediately all contaminated clothing. Obtain medical attention.

First-aid measures after eye contact

: In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention immediately.

First-aid measures after ingestion

: If swallowed, rinse mouth with water (only if the person is conscious). Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. Give water to drink if victim completely conscious/alert.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries

: Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation

: Inhalation of mists is extremely irritating to mucous membranes and upper respiratory tract.

Symptoms/injuries after skin contact

: May cause severe burns. Severe skin irritant.

Symptoms/injuries after eye contact

Corrosive to eyes. Causes serious eye damage.

Symptoms/injuries after ingestion

Swallowing a small quantity of this material will result in serious health hazard. Although ingestion is an unlikely route of entry, ingestion will cause corrosion of the mouth and the upper gastrointestinal tract. Swelling of the tissues in the throat and mouth may result in extreme difficulty in swallowing. Significant swelling may restrict air passages. In all cases of ingestion, the risk of aspiration into the lungs exists. Entry into the lungs can cause permanent damage to the lungs resulting in pulmonary edema. This condition may lead to death.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

: Use extinguishing media appropriate for surrounding fire.

5.2. Special hazards arising from the substance or mixture

No additional information available.

5.3. Advice for firefighters

Firefighting instructions

: Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protective equipment for firefighters

: Use self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

Other information

: May react with soft metals to evolve flammable hydrogen gas. Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Do not breathe fumes, vapors. Avoid contact with skin, eyes and clothes. Use personal protective equipment as required. Stop leak if safe to do so.

07/28/2014 EN (English) SDS ID: 1D07US 2/8

Alkaline Based Neutralizer

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing. For further information refer to Section 8: Exposure-

controls/personal protection.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Neutralize spill carefully with any weak acid and flush remainder with plenty of water. Consult hazardous waste contractor for disposal of large amounts. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect in closed containers for disposal. Store away from other materials. Wash contaminated areas with large quantities of water to a sanitary sewer, if in accordance with local, state or national legislation. Ensure all national/local regulations are observed.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Product for industrial use only. Read label before use. Avoid contact with skin, eyes and clothing. Avoid breathing mist or vapor. Provide good ventilation in process area to prevent formation of vapor. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Hygiene measures

Wash hands thoroughly after handling. Take care for general good hygiene and housekeeping. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Separate working clothes from town clothes. Launder separately.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: A washing facility/water for eye and skin cleaning purposes should be present. Provide adequate ventilation. Comply with applicable regulations.

Storage conditions

Keep only in the original container in a cool, well ventilated place. Keep out of reach of children. keep away from incompatible materials. Keep container closed when not in use.

Incompatible materials

: Acids, soft metals, oxidizers, organic halogen compounds. Contact with some metals such as magnesium, aluminum, zinc (galvanized), tin, chromium, brass and bronze may generate hydrogen. Reacts violently with acids liberating irritating gas. May evolve flammable hydrogen gas on contact with soft metals.

7.3. Specific end use(s)

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Potassium hydroxide (1310-	58-3)	
USA ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m³

Sodium hydroxide (1310-73-2)		
USA ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	2 mg/m³

8.2. Exposure controls

Appropriate engineering controls

: Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of mists and/or vapors below the recommended exposure limits. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

07/28/2014 EN (English) SDS ID: 1D07US 3/8

Alkaline Based Neutralizer

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Personal protective equipment : Avoid all unnecessary exposure. Personal protective equipment should be selected based upon

the conditions under which this product is handled or used. Protective clothing. Gloves. Protective goggles.







Hand protection : Wear rubber gloves.

Eye protection : Wear chemical goggles or safety glasses.

Skin and body protection : Wear suitable protective clothing. Rubber Apron. Rubber boots.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Appearance Clear Color Colorless Odor : Characteristic Odor threshold No data available pH (concentrate) No data available 12.6 Approximately pH (1% solution) Relative evaporation rate (butyl acetate=1) No data available Melting point : No data available Freezing point No data available : No data available Boiling point : No data available Flash point No data available Auto-ignition temperature : No data available Decomposition temperature Flammability (solid, gas) No data available Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available Density : ca. 1.289 g/ml @ 25 °C Solubility Water: Completely soluble

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosive limits : No data available.

9.2. Other information

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available.

10.2. Chemical stability

Stable under normal conditions of use.

07/28/2014 EN (English) SDS ID: 1D07US 4/8

Alkaline Based Neutralizer

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

No additional information available.

10.5. Incompatible materials

Acids, soft metals, oxidizers, organic halogen compounds. Contact with some metals such as magnesium, aluminum, zinc (galvanized), tin, chromium, brass and bronze may generate hydrogen. Reacts violently with acids liberating irritating gas. May evolve flammable hydrogen gas on contact with soft metals.

10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapors. On burning: Release of carbon monoxide - carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Based on available data, the classification criteria are not met

	Based on available data, the classification criteria are not met.	
Potassium hydroxide (1310-58-3)		
LD50 oral rat	214 mg/kg	
ATE CLP (oral)	500.000 mg/kg bodyweight	
Sodium hydroxide (1310-73-2)		
LD50 dermal rabbit	1350 mg/kg	
ATE CLP (dermal)	1350.000 mg/kg bodyweight	
Skin corrosion/irritation	Causes severe skin burns	
	pH: 12.6 Approximately	
Serious eye damage/irritation	Causes serious eye damage	
	pH: 12.6 Approximately	
Respiratory or skin sensitisation	Not classified	
	Based on available data, the classification criteria are not met	
Germ cell mutagenicity	Not classified	
	Based on available data, the classification criteria are not met	
Carcinogenicity	Not classified	
	Based on available data, the classification criteria are not met	
Reproductive toxicity	Not classified	
	Based on available data, the classification criteria are not met	
Specific target organ toxicity (single exposure)	Not classified	
	Based on available data, the classification criteria are not met	
Specific target organ toxicity (repeated	Not classified	
exposure)	Based on available data, the classification criteria are not met	
Aspiration hazard	Not classified	
A COMMISSION MAZGING	Based on available data, the classification criteria are not met	
Potential Adverse human health effects and	Not classified	
symptoms	Based on available data, the classification criteria are not met.	
Symptoms/injuries after inhalation	Inhalation of mists is extremely irritating to mucous membranes and upper respiratory tract.	_
Symptoms/injuries after skin contact	May cause severe burns. Severe skin irritant.	
Symptoms/injuries after eye contact	Corrosive to eyes. Causes serious eye damage.	
Symptoms/injuries after ingestion	Swallowing a small quantity of this material will result in serious health hazard. Alth	nough
zympiama and ingesion	ingestion is an unlikely route of entry, ingestion will cause corrosion of the mouth and the upgastrointestinal tract. Swelling of the tissues in the throat and mouth may result in ext difficulty in swallowing. Significant swelling ay restrict air passages. In all cases of ingestion into the lungs exists. Entry into the lungs are cause permanent demands.	upper treme n, the

07/28/2014 EN (English) SDS ID: 1D07US 5/8

risk of aspiration into he lungs exists. Entry into the lungs an cause permanent damage to the lungs resulting in pulmonary edema. This condition may lead to death.

Alkaline Based Neutralizer

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SECTION 12: Ecological information

12.1. **Toxicity**

Sodium hydroxide (1310-73-2)	
LC50 fishes 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])

12.2. Persistence and degradability

No additional information available.

12.3. **Bioaccumulative potential**

CIP Neutralizer™ - Alkaline Based Neutralizer	
Bioaccumulative potential	Not established.
Potassium hydroxide (1310-58-3)	
Potassium hydroxide (1310-58-3)	

Mobility in soil

No additional information available.

Other adverse effects 12.5.

: Avoid release to the environment. Other information

SECTION 13: Disposal considerations

1

13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads). High concentration in receiving water will injure aquatic life by pH effect. Do not re-use empty containers.
Additional information	: Empty containers should be thoroughly rinsed with large quantities of clean water. Never return unused material to original container. Dispose of empty containers and wastes safely. Containers may be send for reconditioning, recycling. Dispose in a safe manner in accordance with local/national regulations. Small spills may be flushed to a sanitary sewer with copious amounts of water, if in accordance with local, state or national legislation.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT

Transport document description : UN1824 Sodium hydroxide solution, 8, II

UN-No.(DOT) DOT NA no. : UN1824

DOT Proper Shipping Name : Sodium hydroxide solution

Department of Transportation (DOT) Hazard

Classes

: 8 - Class 8 - Corrosive material 49 CFR 173.136

Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : II - Medium Danger

07/28/2014 EN (English) SDS ID: 1D07US 6/8

Alkaline Based Neutralizer

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

DOT Special Provisions (49 CFR 172.102)

: B2 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are not authorized.

IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

N34 - Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material.

T7 - 4 178.274(d)(2) Normal............... 178.275(d)(3) TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.

DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) : 202 DOT Packaging Bulk (49 CFR 173.xxx) : 242 DOT Quantity Limitations Passenger aircraft/rail : 1 L (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 30 L

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

DOT Vessel Stowage Other : 52 - Stow "separated from" acids

Additional information

Other information : No supplementary information available.

No additional information available.

Transport by sea

No additional information available.

Air transport

No additional information available.

SECTION 15: Regulatory information

15.1. US Federal regulations

CIP Neutralizer™ - Alkaline Based Neutralizer	
RQ (Reportable quantity, section 304 of EPA's List of Lists) :	4608 lb

Potassium hydroxide (1310-58-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
RQ (Reportable quantity, section 304 of EPA's	1000 lb
List of Lists):	

Sodium hydroxide (1310-73-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
RQ (Reportable quantity, section 304 of EPA's List of Lists) :	1000 lb

15.2. International regulations

Not applicable.

15.3. US State regulations

No additional information available.

SDS ID: 1D07US 07/28/2014 EN (English) 7/8

Alkaline Based Neutralizer

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SECTION 16: Other information

Other information : None.

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
H301	Toxic if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

NFPA health hazard : 3 - Short exposure could cause serious temporary or

residual injury even though prompt medical attention was


given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity

: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with

some release of energy, but not violently.



SDS US (GHS HazCom 2012)-Steries US

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.

07/28/2014 EN (English) SDS ID: 1D07US 8/8